



DECLARATION OF PERFORMANCE

No. 2873-CPR-201-72

1. Unique identification code of the product type:

Screw anchor Hilti-HUS4

2. Intended use/es:

| Product | Intended use |
|------------------------------------|---|
| IMETAL ANCHORS FOR USE IN CONCRETE | Product for fixing to- or connecting/supporting of- building structures |

3. Manufacturer:

Hilti Aktiengesellschaft Business Unit Anchors, 9494 Schaan, Principality of Liechtenstein

4. System/s of AVCP: System 1

5. European Assessment Document EAD 330232-01-0601-v05 (Edition 01/2024)

European Technical Assessment: ETA-20/0867 (11.02.2025)

Technical Assessment Body: DIBt – Deutsches Institut für Bautechnik

Notified body/ies: 2873 - IFSW Darmstadt

6. Declared performance/s:

Mechanical resistance and stability (BWR 1)

| Essential characteristic | Performance |
|--|---------------------------------------|
| Characteristic resistance for static and quasi static loads, displacements | See Annex B5 - B9, C1 - C7, C21 - C23 |
| Characteristic resistance for seismic performance category C1 | See Annex C8 - C11 |
| Characteristic resistance for seismic performance category C2, displacements | See Annex C12; C13, C24 |

Safety in case of fire (BWR 2)

| Essential characteristic | Performance |
|--------------------------|--|
| Reaction to fire | Anchorages satisfy requirements for class A1 |
| Resistance to fire | See Annex C14 - C20 |

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above

Signed for and on behalf of the manufacturer by:





Lars Taenzer

Business Unit Head Business Unit Anchor 1. Gala.

Jürgen Gebhard

Head of Quality

Business Unit Anchor





DECLARATION OF PERFORMANCE

No. 2873-CPR-201-73

1. Unique identification code of the product type:

Bonded screw fastener for use in concrete Hilti-HUS4

2. Intended use/es:

| Product | Intended use |
|---------|---|
| | For fixing and/or supporting to concrete, structural elements (which contributes to the stability of the works) or heavy units. |

3. Manufacturer:

Hilti Aktiengesellschaft Business Unit Anchors, 9494 Schaan, Principality of Liechtenstein

4. System/s of AVCP: System 1

5. European Assessment Document EAD 332795-00-0601 European Technical Assessment: ETA-18/1160 (16.01.2025)

Technical Assessment Body: DIBt – Deutsches Institut für Bautechnik

Notified body/ies: 2873 - IFSW Darmstadt

6. Declared performance/s:

Mechanical resistance and stability (BWR 1)

| Essential characteristic | Performance |
|--|--------------------------------------|
| Characteristic resistance for static and quasi static loads, displacements | See Annex B5, B6, C1, C2, C3, C7, C8 |
| Characteristic resistance for seismic performance category C1 | See Annex C4 |
| Characteristic resistance for seismic performance category C2, displacements | See Annex C5, C8 |

Safety in case of fire (BWR 2)

| Essential characteristic | Performance |
|--------------------------|--|
| Reaction to fire | Anchorages satisfy requirements for class A1 |
| Resistance to fire | See Annex C6 |

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above

Signed for and on behalf of the manufacturer by:





Lars Taenzer

Business Unit Head Business Unit Anchor 1. Gala.

Jürgen Gebhard

Head of Quality

Business Unit Anchor





DECLARATION OF PERFORMANCE

No. 2873-CPR-201-78

1. Unique identification code of the product type:

Connector Hilti-HUS4

2. Intended use/es:

| Product | Intended use |
|---------|--|
| | Connector for connecting two layers of concrete cast at different times (existing concrete and concrete overlay) |

3. Manufacturer:

Hilti Aktiengesellschaft Business Unit Anchors, 9494 Schaan, Principality of Liechtenstein

4. System/s of AVCP: System 1

5. European Assessment Document EAD EAD 332347-00-601-V1 **European Technical Assessment:** ETA-21/0969 (16.05.2022)

Technical Assessment Body: DIBt – Deutsches Institut für Bautechnik

Notified body/ies: 2873 - IFSW Darmstadt

6. Declared performance/s:

Mechanical resistance and stability (BWR 1)

| Essential characteristic | Performance |
|--|------------------------------|
| Characteristic resistances in existing concrete; edge distance and spacing (static and quasi-static tension loading) | See Annex B2, B3, B4, C1, C2 |
| Characteristic resistances in concrete overlay; edge distance and spacing (static and quasi-static tension loading) | See Annex B2, B3, B4, C3 |
| Shear interface parameters under static, quasi-static and fatigue cyclic loading | See Annex C6 |
| Characteristic resistances in existing concrete for seismic performance category C1 and C2 | See Annex C4 |
| Characteristic resistances in concrete overlay for seismic performance category C1 | See Annex C5 |
| Characteristic resistances in concrete overlay for seismic performance categoy C2 | See Annex C5 |

Safety in case of fire (BWR 2)

| Essential characteristic | Performance |
|--------------------------|--|
| Reaction to fire | Anchorages satisfy requirements for class A1 |

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above

Signed for and on behalf of the manufacturer by:





Lars Taenzer

Business Unit Head Business Unit Anchor 1. Gala.

Jürgen Gebhard

Head of Quality

Business Unit Anchor