

# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law. Issue date: 26/08/2025 Revision date: 26/08/2025 Supersedes version of: 08/12/2022

Version: 4.3

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form Mixture

Name Cleaning Spray 150 ml
UFI GHQK-RY4U-343T-E66V
Product code BU Direct Fastening
Vaporizer Aerosol

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec For professional use only

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

#### Supplier

Hilti (Gt. Britain) Ltd.

1 Circle Square

3 Symphony Park

GB M1 7FS Manchester

**Great Britain** 

T +44 161 886 1000

0800 886 100 Toll-free, F +44 161 872 1240

gbsales@hilti.com

#### 1.4. Emergency telephone number

Emergency number Emergency CONTACT (24-Hour-Number):

GBK GmbH Global Regulatory Compliance

+49 (0)6132-84463

+44 161 886 1000 0800 886 100 Toll-free

Country	Organisation/Company	Address	Emergency number	Comment
	NHS Direct (England and Wales) NHS 24 (Scotland)		111	

## **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Aerosol, Category 1 H222;H229
Skin corrosion/irritation, Category 2 H315
Serious eye damage/eye irritation, Category 2 H319
Specific target organ toxicity – Single exposure, Category 3, Narcosis H336
Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available



# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

#### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS02



GHS07



Signal word (CLP)

Contains

Danger

hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane; Acetone; 1-

methoxypropan-2-ol

Hazard statements (CLP) H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

H315 - Causes skin irritation.

H319 - Causes serious eve irritation.

H336 - May cause drowsiness or dizziness.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use.

P261 - Avoid breathing dust, fume, gas, mist, spray, vapours.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

#### 2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component		
hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Acetone (67-64-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
1-methoxypropan-2-ol (107-98-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
Carbon dioxide (124-38-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
Acetone (67-64-1)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605



Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Component		
1-methoxypropan-2-ol (107-98-2)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	
Carbon dioxide (124-38-9)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605	

# SECTION 3: Composition/information on ingredients

## 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane	EC-No.: 921-024-6 REACH-no: 01-2119475514- 35	50 – 75	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Acetone	CAS-No.: 67-64-1 EC-No.: 200-662-2 EC Index-No.: 606-001-00-8 REACH-no: 01-2119471330-	25 – 50	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336 EUH066
1-methoxypropan-2-ol	CAS-No.: 107-98-2 EC-No.: 203-539-1 EC Index-No.: 603-064-00-3 REACH-no: 01-2119457435- 35	5 – 10	Flam. Liq. 3, H226 STOT SE 3, H336
Carbon dioxide (Propellant gas (Aerosol))	CAS-No.: 124-38-9 EC-No.: 204-696-9	5 – 10	Press. Gas (Liq.), H280

Product subject to CLP Annex I, item 1.1.3.7. The disclosure rules of the components is modified in this case.

Full text of H- and EUH-statements: see section 16

# **SECTION 4: First aid measures**

4.1. Description of first aid measures	
First-aid measures general	Take off immediately all contaminated clothing. Call a poison center or a doctor if you feel unwell.
First-aid measures after inhalation	Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	Gently wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
First-aid measures after ingestion	Get immediate medical advice/attention.



# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation Shortness of breath.

Symptoms/effects after skin contact Irritation.
Symptoms/effects after eye contact Eye irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media Water spray. Carbon dioxide. Dry powder. Foam. Sand.

Unsuitable extinguishing media Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire hazard Extremely flammable aerosol.

Explosion hazard Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of

burns and injuries.

Hazardous decomposition products in case of fire Formation of toxic gases is possible during heating or in case of fire. Thermal

decomposition generates: Carbon dioxide. Carbon monoxide.

#### 5.3. Advice for firefighters

Precautionary measures fire Fight fire remotely due to the risk of explosion.

Firefighting instructions DO NOT fight fire when fire reaches explosives. Evacuate area.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures Evacuate area. No flames, no sparks. Eliminate all sources of ignition.

#### 6.1.1. For non-emergency personnel

Emergency procedures Ventilate spillage area. Avoid breathing spray, vapours. Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment Do not attempt to take action without suitable protective equipment. Breathing apparatus.

Emergency procedures Ventilate area.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Do not flush with water.

#### 6.4. Reference to other sections

For further information refer to section 13. For further information refer to section 8: "Exposure controls/personal protection".

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Additional hazards when processed Hazardous waste due to potential risk of explosion. Do not pierce or burn, even after use.

Precautions for safe handling

Do not eat, drink or smoke when using this product. Do not breathe vapours. Avoid contact

with skin, eyes and clothing. Keep away from heat, hot surfaces, sparks, open flames and

other ignition sources. No smoking.

Hygiene measures Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.



# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

## 7.2. Conditions for safe storage, including any incompatibilities

Technical measures Proper grounding procedures to avoid static electricity should be followed.

Storage conditions Keep cool. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Keep in fireproof place.

Incompatible materials Heat sources. Direct sunlight.

Storage temperature 5-25 °C

Heat and ignition sources

Keep away from heat and direct sunlight.

Do not store with DX powder cartridges.

#### 7.3. Specific end use(s)

No additional information available

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

#### 8.1.1. National occupational exposure and biological limit values

Acetone (67-64-1)		
United Kingdom - Occupational Exposure Limits		
Local name	Acetone	
WEL TWA (OEL TWA)	1210 mg/m³	
	500 ppm	
WEL STEL (OEL STEL)	3620 mg/m³	
	1500 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
1-methoxypropan-2-ol (107-98-2)		
United Kingdom - Occupational Exposure Limits		
Local name	1-Methoxypropan-2-ol	
WEL TWA (OEL TWA)	375 mg/m³	
	100 ppm	
WEL STEL (OEL STEL)	560 mg/m³	
	150 ppm	
Remark	Sk	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
Carbon dioxide (124-38-9)		
United Kingdom - Occupational Exposure Limits		
Local name	Carbon dioxide	
WEL TWA (OEL TWA)	9150 mg/m³	
	5000 ppm	
WEL STEL (OEL STEL)	27400 mg/m³	
	15000 ppm	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	



Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane			
DNEL/DMEL (Workers)			
Long-term - systemic effects, dermal	773 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	2035 mg/m³		
DNEL/DMEL (General population)			
Long-term - systemic effects,oral	699 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	608 mg/m³		
Long-term - systemic effects, dermal	699 mg/kg bodyweight/day		
Acetone (67-64-1)			
DNEL/DMEL (Workers)			
Acute - local effects, inhalation	2420 mg/m³		
Long-term - systemic effects, dermal	186 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	1210 mg/m³		
DNEL/DMEL (General population)			
Long-term - systemic effects,oral	62 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	200 mg/m³		
Long-term - systemic effects, dermal	62 mg/kg bodyweight/day		
PNEC (Water)			
PNEC aqua (freshwater)	10.6 mg/l		
PNEC aqua (marine water)	1.06 mg/l		
PNEC aqua (intermittent, freshwater)	21 mg/l		
PNEC (Sediment)	PNEC (Sediment)		
PNEC sediment (freshwater)	30.4 mg/kg dwt		
PNEC sediment (marine water)	3.04 mg/kg dwt		
PNEC (Soil)			
PNEC soil	29.5 mg/kg dwt		
PNEC (STP)			
PNEC sewage treatment plant	100 mg/l		
1-methoxypropan-2-ol (107-98-2)			
DNEL/DMEL (Workers)			
Acute - systemic effects, inhalation	553.5 mg/m³		
Long-term - systemic effects, dermal	183 mg/kg bodyweight/day		
Long-term - systemic effects, inhalation	369 mg/m³		



# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

1-methoxypropan-2-ol (107-98-2)		
Long-term - local effects, inhalation	553.5 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	33	
Long-term - systemic effects, inhalation	43.9 mg/m³	
Long-term - systemic effects, dermal	78	
PNEC (Water)		
PNEC aqua (freshwater)	10 mg/l	
PNEC aqua (marine water)	1 mg/l	
PNEC aqua (intermittent, freshwater)	100 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	52.3 mg/kg dwt	
PNEC sediment (marine water)	5.2 mg/kg dwt	
PNEC (Soil)		
PNEC soil	4.59 mg/kg dwt	
PNEC (STP)		
PNEC sewage treatment plant	100 mg/l	

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

# Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

## Personal protective equipment symbol(s):





#### 8.2.2.1. Eye and face protection

#### Eye protection:

Chemical goggles or safety glasses. EN 170

# 8.2.2.2. Skin protection

# Hand protection:

In case of repeated or prolonged contact wear gloves

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	l '	No supplementary information available	EN ISO 374



# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

No respiratory protection needed under normal use conditions. In case of insufficient ventilation, wear suitable respiratory equipment

Respiratory protection				
Device	Filter type	Condition	Standard	
Breathing apparatus with filter	A2/P3	If conc. in air > exposure limit	EN 143	

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### **Environmental exposure controls:**

Avoid release to the environment.

#### Other information:

No additional information available. No additional information available

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state Liquid Colour clear. Appearance Aerosol. Odour solvent-like. Odour threshold Not available Melting point Not available Not available Freezing point Boiling point Not available

Flammability Extremely flammable aerosol.

Explosive properties Product is not explosive. May form flammable/explosive vapour-air mixture.

Lower explosion limit 0.6 vol % 13 vol % Upper explosion limit < 21 °C Flash point > 200 °C Auto-ignition temperature Decomposition temperature Not available Not available рΗ Viscosity, kinematic Not available Solubility Not available Partition coefficient n-octanol/water (Log Kow) Not available Vapour pressure 5500 hPa (20 °C) Vapour pressure at 50°C Not available 0.7 g/cm<sup>3</sup> Density Relative density Not available Relative vapour density at 20°C Not available Particle characteristics Not applicable

#### 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

**Explosion limits** 

% of flammable ingredients > 80 %

9.2.2. Other safety characteristics

VOC content 747 g/l (99,5 %)



# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

No additional information available

#### 10.3. Possibility of hazardous reactions

No additional information available

#### 10.4. Conditions to avoid

Heat. Sparks. Open flame. Direct sunlight. Overheating.

#### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Carbon dioxide. Carbon monoxide.

# **SECTION 11: Toxicological information**

hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane

STOT-single exposure

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)

Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (dermal)

Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (inhalation)

Not classified (Based on available data, the classification criteria are not met)

Acute toxicity (inhalation)	Not classified (Based on available data, the classification criteria are not met)		
hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane			
LD50 oral rat	> 5840 mg/kg bodyweight		
LD50 dermal rat	> 2920 mg/kg bodyweight		
LC50 Inhalation - Rat (Vapours)	> 25.2 mg/l/4h		
Acetone (67-64-1)			
LD50 oral rat	5800 mg/kg bodyweight		
LD50 oral	6667 mg/kg		
LD50 dermal rat	> 7400 mg/kg bodyweight		
LD50 dermal	20000 mg/kg		
LC50 Inhalation - Rat (Vapours)	76 mg/l/4h		
1-methoxypropan-2-ol (107-98-2)			
LD50 oral rat	4016 mg/kg bodyweight		
LD50 dermal rat	> 2000 mg/kg bodyweight		
Skin corrosion/irritation	Causes skin irritation.		
Serious eye damage/irritation	Causes serious eye irritation.		
Respiratory or skin sensitisation	Not classified (Based on available data, the classification criteria are not met)		
Germ cell mutagenicity	Not classified (Based on available data, the classification criteria are not met)		
Carcinogenicity	Not classified (Based on available data, the classification criteria are not met)		
Reproductive toxicity	Not classified (Based on available data, the classification criteria are not met)		
STOT-single exposure	May cause drowsiness or dizziness.		

May cause drowsiness or dizziness.



# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Acetone (67-64-1)	
STOT-single exposure May cause drowsiness or dizziness.	
1-methoxypropan-2-ol (107-98-2)	
TOT-single exposure May cause drowsiness or dizziness.	
STOT-repeated exposure	Not classified (Based on available data, the classification criteria are not met)
spiration hazard Not classified (Based on available data, the classification criteria are not met)	
Cleaning Spray 150 ml	
Vaporizer	Aerosol

## 11.2. Information on other hazards

No additional information available

# **SECTION 12: Ecological information**

1	2	1	. T	^	vi	ci	tv,
	<b>Z</b> .			o	ХΙ	ш	LV

Hazardous to the aquatic environment, short–term (acute)

Not classified (Based on available data, the classification criteria are not met)

Hazardous to the aquatic environment, long-term

Toxic to aquatic life with long lasting effects.

(chronic)

hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane			
LC50 - Fish [1]	11.4 mg/l (96 h, Oncorhynchus mykiss, (OECD 203 method))		
EC50 - Crustacea [1]	3 mg/l (48 h, Daphnia magna, (OECD 202 method))		
ErC50 algae	≥ 10 mg/l (72 h, Pseudokirchneriella subcapitata, (OECD 201 method))		
NOEC (chronic)	0.17 (21 d, Daphnia magna, (OECD 211 method), Read-across)		
NOEC chronic fish	2.045 mg/l (Quantitative structure-activity relationship (QSAR))		
NOEC chronic crustacea	0.17 mg/l (21 d; Daphnia magna (Water flea); (OECD 211 method))		
NOEC chronic algae	3 mg/l (72 h, Pseudokirchneriella subcapitata, (OECD 201 method))		
Acetone (67-64-1)			
LC50 - Fish [1]	5540 mg/l (96 h; Oncorhynchus mykiss)		
EC50 - Crustacea [1]	8800 mg/l (48 h; Daphnia pulex)		
NOEC chronic crustacea	2212 mg/l (28 d; Daphnia magna)		
1-methoxypropan-2-ol (107-98-2)			
LC50 - Fish [1]	6812 mg/l (96 h; Leuciscus idus; DIN 38 412, part L15)		
EC50 - Crustacea [1]	> 100 mg/l (48 h; Daphnia magna)		
Carbon dioxide (124-38-9)			
LC50 - Fish [1]	35 ppm (96 h; Salmo gairdneri; Literature data)		

### 12.2. Persistence and degradability

hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 5% n-hexane		
Persistence and degradability	Readily biodegradable.	
Biodegradation	98 % (28 d; (OECD 301F method))	



# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Acetone (67-64-1)		
Persistence and degradability Readily biodegradable.		
Biodegradation 90.9 % (28 d; (OECD 301B method))		
1-methoxypropan-2-ol (107-98-2)		
Persistence and degradability Readily biodegradable.		
Biodegradation 96 % (28 d; (OECD 301E method))		
Carbon dioxide (124-38-9)		
Persistence and degradability Not applicable.		

### 12.3. Bioaccumulative potential

12.3. bloaccumulative potential		
Acetone (67-64-1)		
Bioconcentration factor (BCF REACH) 3 (calculated value)		
Bioaccumulative potential Bioaccumulation unlikely.		
1-methoxypropan-2-ol (107-98-2)		
Partition coefficient n-octanol/water (Log Kow) 0.37 (20 °C)		
Bioaccumulative potential Bioaccumulation unlikely.		
Carbon dioxide (124-38-9)		
Partition coefficient n-octanol/water (Log Pow) 0.83 (Measured)		

# 12.4. Mobility in soil

Acetone (67-64-1)		
Surface tension 23.3 mN/m (20 °C)		
1-methoxypropan-2-ol (107-98-2)		
Surface tension	70.7 mN/m (1 g/L; 20°C)	

#### 12.5. Results of PBT and vPvB assessment

#### Cleaning Spray 150 ml

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

# 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Regional waste regulation Disposal must be done according to official regulations.

Waste treatment methods Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations Container under pressure. Do not drill or burn even after use.

Additional information Flammable vapours may accumulate in the container.



Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

HP Code

HP3 - "Flammable:"

- flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
- flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
- flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
- flammable gaseous waste: gaseous waste which is flammable in air at 20  $^{\circ}\text{C}$  and a standard pressure of 101.3 kPa;
- water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
- other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.
- HP4 "Irritant skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / RID

ADR	IMDG	IATA	RID
14.1. UN number or ID number			
UN 1950	UN 1950	UN 1950	UN 1950
14.2. UN proper shipping name		<u>,                                      </u>	
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS
Transport document description		<u>,                                      </u>	
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS, 2.1	UN 1950 Aerosols, flammable, 2.1	UN 1950 AEROSOLS, 2.1
14.3. Transport hazard class(es)		<u>,                                      </u>	
2.1	2.1	2.1	2.1
2	2	2	2
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes	Dangerous for the environment Yes

#### 14.6. Special precautions for user

No supplementary information available

#### Overland transport

Classification code (ADR) Special provisions (ADR)

51

190, 327, 344, 625



# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Limited quantities (ADR) 11
Excepted quantities (ADR) E0

Packing instructions (ADR) P207, LP200 Special packing provisions (ADR) PP87, RR6, L2

Mixed packing provisions (ADR)

Transport category (ADR)

Special provisions for carriage - Packages (ADR)

V14

Special provisions for carriage - Loading, unloading

CV9, CV12

and handling (ADR)

Special provisions for carriage - Operation (ADR) S2
Tunnel restriction code (ADR) D

#### Transport by sea

Special provisions (IMDG) 63, 190, 277, 327, 344, 381, 959

Limited quantities (IMDG) SP277 Excepted quantities (IMDG) E0 P207, LP200 Packing instructions (IMDG) Special packing provisions (IMDG) PP87, L2 EmS-No. (Fire) F-D EmS-No. (Spillage) S-U Stowage category (IMDG) None Stowage and handling (IMDG) SW1. SW22 Segregation (IMDG) SG69 MFAG-No 126

#### Air transport

PCA Excepted quantities (IATA) E0
PCA Limited quantities (IATA) Y203
PCA limited quantity max net quantity (IATA) 30kgG
PCA packing instructions (IATA) 203
PCA max net quantity (IATA) 75kg
CAO packing instructions (IATA) 203
CAO max net quantity (IATA) 150kg

Special provisions (IATA) A145, A167, A802

ERG code (IATA) 10L

#### Rail transport

Classification code (RID) 5F

Special provisions (RID) 190, 327, 344, 625

Limited quantities (RID)1LExcepted quantities (RID)E0Packing instructions (RID)P207, LP200Special packing provisions (RID)PP87, RR6, L2

Mixed packing provisions (RID) MP9

Transport category (RID) 2

Special provisions for carriage – Packages (RID) W14

Special provisions for carriage - Loading, unloading CW9, CW12

and handling (RID)

Colis express (express parcels) (RID) CE2
Hazard identification number (RID) 23

# 14.7. Maritime transport in bulk according to IMO instruments

Not applicable



Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

#### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

EU restriction list (RI	EU restriction list (REACH Annex XVII)			
Reference code	Applicable on	Entry title or description		
3(a)	Cleaning Spray 150 ml; hydrocarbons, C6-C7, n- alkanes, isoalkanes, cyclics, < 5% n-hexane; Acetone; 1- methoxypropan-2-ol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F		
3(b)	Cleaning Spray 150 ml; hydrocarbons, C6-C7, n- alkanes, isoalkanes, cyclics, < 5% n-hexane; Acetone; 1- methoxypropan-2-ol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10		
3(c)	Cleaning Spray 150 ml; hydrocarbons, C6-C7, n- alkanes, isoalkanes, cyclics, < 5% n-hexane	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1		
40.	Cleaning Spray 150 ml	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.		

# **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

#### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

# Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

#### VOC Directive (2004/42)

VOC content 747 g/l (99,5 %)

#### Seveso Directive (Disaster Risk Reduction)

Seveso III Part I (Categories of dangerous substances)	Qualifying quantity (tonnes)	
	Lower-tier	Upper-tier
P3b FLAMMABLE AEROSOLS 'Flammable' aerosols Category 1 or 2, not containing flammable gases Category 1 or 2 nor flammable liquids category 1	5000	50000



# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

E2 Hazardous to the Aquatic Environment in Category Chronic 2	200	500

#### Explosives Precursors Regulation (EU 2019/1148)

Contains substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### ANNEX II REPORTABLE EXPLOSIVES PRECURSORS

List of substances on their own or in mixtures or in substances for which suspicious transactions and significant disappearances and thefts are to be reported within 24 hours.

Name	CAS-No.		Combined Nomenclature code for mixture without constituents which would determine classification under another CN code
Acetone	67-64-1	2914 11 00	ex 3824 99 92

Please see https://home-affairs.ec.europa.eu/policies/internal-security/counter-terrorism-and-radicalisation/protection/legislation-chemicals-used-home-made-explosives\_en

#### Drug Precursors Regulation (EC 273/2004)

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category	Threshold	Annex
Acetone		67-64-1	2914 11 00	Category 3		Annex I

#### 15.1.2. National regulations

No additional information available

# 15.2. Chemical safety assessment

No additional information available

## **SECTION 16: Other information**

Abbreviations and acronyms:			
CAS-No.	Chemical Abstract Service number		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008		
DNEL	Derived-No Effect Level		
EC50	Median effective concentration		
ED	Endocrine disruptor		
EC-No.	European Community number		
EN	European Standard		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
IOELV	Indicative Occupational Exposure Limit Value		
LC50	Median lethal concentration		
LD50	Median lethal dose		



# Cleaning Spray 150 ml Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Abbreviations and acronyms:			
NOEC	No-Observed Effect Concentration		
OECD	Organisation for Economic Co-operation and Development		
N.O.S.	Not Otherwise Specified		
OEL	Occupational Exposure Limit		
PBT	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
SDS	Safety Data Sheet		
STP	Sewage treatment plant		
TLM	Median Tolerance Limit		
TRGS	Technical Rules for Hazardous Substances		
VOC	Volatile Organic Compounds		
WGK	Water Hazard Class		
vPvB	Very Persistent and Very Bioaccumulative		
NOAEL	No-Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
LOAEL	Lowest Observed Adverse Effect Level		

Data sources

European Chemicals Agency, http://echa.europa.eu/. manufacturer.

Full text of H- and EUH-statements:			
Aerosol 1	Aerosol, Category 1		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2		
Asp. Tox. 1	Aspiration hazard, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 2	Flammable liquids, Category 2		
Flam. Liq. 3	Flammable liquids, Category 3		
Press. Gas (Liq.)	Gases under pressure : Liquefied gas		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis		
H222	Extremely flammable aerosol.		
H225	Highly flammable liquid and vapour.		
H226	Flammable liquid and vapour.		
H229	Pressurised container: May burst if heated.		
H280	Contains gas under pressure; may explode if heated.		
H304	May be fatal if swallowed and enters airways.		



# Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Full text of H- and EUH-statements:		
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H336	May cause drowsiness or dizziness.	
H411	Toxic to aquatic life with long lasting effects.	
EUH066	Repeated exposure may cause skin dryness or cracking.	

#### SDS EU HILTI

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.